

Chiavi a bussola antiscintilla


Spark proof sockets / *Douilles anti déflagrantes*



Chiavi a Bussola Anti Scintilla 1/2"

Spark Proof Sockets 1/2" / Douilles Anti Déflagrantes 1/2"

ATTACCO QUADRO


SQUARE DRIVE
CARRÉ CONDUCTEUR

mm	in	CODE	Ø1 mm	Ø2 mm	L mm	T mm	g	
13		C13 SPK	21,5	25	40	8	82	C
14		C14 SPK	22,5	25	40	10	82	C
15		C15 SPK	24	30	40	10	121	C1
16	5/8"	C16 SPK	25	30	40	10	116	C1
17		C17 SPK	26,5	30	40	10	121	C1
18		C18 SPK	27,5	30	40	12	126	C1
19	3/4"	C19 SPK	29	30	40	12	126	C1
20		C20 SPK	30	30	40	12	126	C1
21		C21 SPK	31,5	30	40	14	135	C1
22	7/8"	C22 SPK	32,5	30	40	14	135	C1
23		C23 SPK	34	30	40	14	145	C1
24	15/16"	C24 SPK	35	30	40	16	169	C1
25		C25 SPK	36,5	30	40	16	174	C1
26		C26 SPK	37,5	30	40	16	179	C1
27	1 1/16"	C27 SPK	39	30	40	18	208	C1
28		C28 SPK	40	30	40	18	218	C1
29		C29 SPK	41,5	30	40	18	218	C1
30	1 3/16"	C30 SPK	42,5	30	40	20	218	C1
32	1 1/4"	C32 SPK	45	30	40	22	266	C1

Chiavi a Bussola Anti Scintilla 3/4"

Spark Proof Sockets 3/4" / Douilles Anti Déflagrantes 3/4"

ATTACCO QUADRO

SQUARE DRIVE
CARRÉ CONDUCTEUR

mm	in	CODE	Ø1 mm	Ø2 mm	L mm	T mm	g	
19	3/4"	E19 SPK	33,5	44	51	12	317	E
21		E21 SPK	36	44	51	14	342	E
22	7/8"	E22 SPK	37	44	51	14	342	E
24	15/16"	E24 SPK	39,5	44	51	16	342	E
27	1 1/16"	E27 SPK	43,5	44	54	18	367	E
30	1 3/16"	E30 SPK	47	44	54	20	392	E
32	1 1/4"	E32 SPK	49,5	44	57	22	442	E
33		E33 SPK	51	44	57	22	442	E
34		E34 SPK	52	44	57	22	492	E
36		E36 SPK	54,5	44	57	24	492	E
38	1 1/2"	E38 SPK	57	44	57	24	522	E
41	1 5/8"	E41 SPK	61	44	58	27	592	E
46	1 13/16"	E46 SPK	67	44	63	30	742	E


I valori possono variare senza preavviso - I valori di peso sono indicativi.

Values may change without prior notice - Weight values are approximate. / Les valeurs peuvent changer sans préavis - Les valeurs de poids sont indicatives.

Chiavi a Bussola Anti Scintilla 1"

Spark Proof Sockets 1" / *Douilles Anti Déflagrantes 1"*

ATTACCO QUADRO


 SQUARE DRIVE
 CARRE CONDUCTEUR


mm	in	CODE	Ø1 mm	Ø2 mm	L mm	T mm	kg	
24	15/16"	F24 SPK	42,5	54	60	16	0,58	F
27	1 1/16	F27 SPK	46,5	54	60	18	0,6	F
30	1 3/16	F30 SPK	50	54	62	20	0,63	F
32	1 1/4	F32 SPK	52,5	54	63	22	0,65	F
33		F33 SPK	54	54	63	22	0,68	F
34		F34 SPK	55	54	63	22	0,65	F
36		F36 SPK	57,5	54	67	24	0,75	F
38	1 1/2	F38 SPK	60	54	67	24	0,8	F
41	1 5/8	F41 SPK	64	54	70	27	0,87	F
46	1 13/16	F46 SPK	70	54	76	30	1,06	F
50		F50 SPK	75	54	82	33	1,23	F
55		F55 SPK	81,5	54	87	36	1,5	F
60	2 3/8	F60 SPK	87,5	54	91	39	1,69	F
65	2 9/16	F65 SPK	94	54	95	39	1,98	F
70	2 3/4	F70 SPK	100	54	100	40	2,37	F

Chiavi a Bussola Anti Scintilla 1" 1/2

Spark Proof Sockets 1" 1/2 / *Douilles Anti Déflagrantes 1" 1/2*

ATTACCO QUADRO

 SQUARE DRIVE
 CARRE CONDUCTEUR


mm	in	CODE	Ø1 mm	Ø2 mm	L mm	T mm	kg	
41	1 5/8	H41 SPK	70	84	80	27	1,93	H
46	1 13/16	H46 SPK	76,5	84	84	30	2,13	H
50		H50 SPK	81,5	84	87	33	2,32	H
55		H55 SPK	88	86	90	36	2,51	H
60	2 3/8	H60 SPK	94	86	95	39	2,85	H
65	2 9/16	H65 SPK	100	86	100	39	3,29	H
70	2 3/4	H70 SPK	106,5	86	105	40	3,77	H
75	2 15/16	H75 SPK	113	86	110	40	4,25	H
80	3 1/8	H80 SPK	119	86	116	42	5,37	H
85	3 3/8	H85 SPK	125	86	121	45	5,42	H
90		H90 SPK	132	86	127	48	6,19	H
95	3 3/4	H95 SPK	138	96	127	51	7,06	H1
100		H100 SPK	144	96	129	54	7,59	H1
105	4 1/8	H105 SPK	150	96	135	58	8,32	H1

I valori possono variare senza preavviso - I valori di peso sono indicativi.


Values may change without prior notice - Weight values are approximate. / Les valeurs peuvent changer sans préavis - Les valeurs de poids sont indicatives.

Chiavi a Bussola Anti Scintilla 2" 1/2

Spark Proof Sockets 2" 1/2 / Douilles Anti Déflagrantes 2" 1/2

ATTACCO QUADRO

SQUARE DRIVE
CARRÉ CONDUCTEUR



mm	in	CODE	Ø1 mm	Ø2 mm	L mm	T mm	kg	
65	2"9/16	K65 SPK	106	127	138	39	7,2	K
70	2"3/4	K70 SPK	112,5	127	140	40	7,4	K
75	2"15/16	K75 SPK	119	127	143	40	7,8	K
80	3"1/8	K80 SPK	125	127	150	42	8,4	K
85	3"3/8	K85 SPK	131	127	155	45	9	K
90		K90 SPK	137,5	127	160	48	9,8	K
95	3"3/4	K95 SPK	144	127	160	51	10,2	K
100		K100 SPK	150	127	165	54	10,9	K
105	4"1/8	K105 SPK	156	127	165	58	11,3	K
110		K110 SPK	162,5	127	170	61	12,3	K
115	4"1/2	K115 SPK	169	127	175	64	13,3	K
120		K120 SPK	175	140	175	68	14,3	K1
125		K125 SPK	181	140	175	70	15,8	K1
130	5"1/8	K130 SPK	188	140	180	72	17,2	K1

I valori possono variare senza preavviso - I valori di peso sono indicativi.

Values may change without prior notice - Weight values are approximate. / Les valeurs peuvent changer sans préavis - Les valeurs de poids sont indicatives.