




Chiavi a Bussola Esagonali

6-point Sockets / Douilles 6-pans



mm	in	CODE	Ø1 mm	Ø2 mm	L mm	T mm	kg	
65	2"9/16	K65	106	127	138	39	7,4	K
	2"5/8	K2.5/8	108	127	138	39	7,6	K
70	2"3/4	K70	112,5	127	140	40	7,7	K
75	2"15/16	K75	119	127	143	40	8,1	K
	3"	K3	120	127	143	40	8,4	K
80	3"1/8	K80	125	127	150	42	8,65	K
	3"1/4	K3.1/4	128	127	155	45	9	K
85	3"3/8	K85	131	127	155	45	9,3	K
	3"1/2	K3.1/2	136	127	160	48	9,8	K
90		K90	137,5	127	160	48	10,1	K
95	3"3/4	K95	144	127	160	51	10,55	K
	3"7/8	K3.7/8	148	127	165	54	11	K
100		K100	150	127	165	54	11,3	K
	4"	K4	152	127	165	54	11,5	K
105	4"1/8	K105	156	127	165	58	11,7	K
	4"1/4	K4.1/4	160	127	170	61	12,3	K
110		K110	162,5	127	170	61	12,75	K
115	4"1/2	K115	169	127	175	64	13,8	K
	4"5/8	K4.5/8	172	140	175	68	14,2	K1
120		K120	175	140	175	68	14,8	K1
	4"3/4	K4.3/4	176	140	175	68	15,5	K1
125		K125	181	140	175	70	16,35	K1
	5"	K5	184	140	180	72	17	K1
130	5"1/8	K130	188	140	180	72	17,8	K1
	5"1/4	K5.1/4	192	140	180	76	18,2	K1
135		K135	194	140	180	76	18,5	K1
140	5"1/2	K140	200	140	185	78	19,5	K1
145		K145	206	140	185	80	20,3	K1
	5"3/4	K5.3/4	208	140	185	80	21	K1
150		K150	213	140	190	84	22	K1
	6"	K6	216	140	195	88	22,8	K1
155	6"1/8	K155	219	140	200	88	23,5	K1
	6"1/4	K6.1/4	223	140	205	90	-	K1




I valori possono variare senza preavviso - I valori di peso sono indicativi.


Values may change without prior notice - Weight values are approximate. / Les valeurs peuvent changer sans préavis - Les valeurs de poids sont indicatives.



ISO 2725-2



mm	in	CODE	Ø1 mm	Ø2 mm	L mm	T mm	
160		K160	225	140	205	90	K1
165	6 1/2	K165	231	140	205	92	K1
170		K170	238	140	210	96	K1
	6 3/4	K6.3/4	239	178	210	96	Z
175		K175	244	178	215	98	Z
	7"	K7	247	178	215	100	Z
180	7 1/8	K180	250	178	215	100	Z
	7 1/4	K7.1/4	255	178	220	104	Z
185		K185	256	178	220	104	Z
190		K190	263	178	225	106	Z
	7 1/2	K7.1/2	263	178	225	106	Z
195		K195	269	178	230	108	Z
	7 3/4	K7.3/4	271	178	230	108	Z
200	7 7/8	K200	275	203	240	112	Z1
	8"	K8	279	203	240	112	Z1
	8 1/4	K8.1/4	287	203	250	120	Z1
210		K210	288	203	250	120	Z1
215	8 1/2	K215	295	203	260	124	Z1
220		K220	300	203	260	124	Z1
	8 3/4	K8.3/4	303	203	260	124	Z1
	9"	K9	311	203	270	128	Z1
230		K230	313	203	270	128	Z1
235	9 1/4	K235	319	203	270	128	Z1
240		K240	325	203	280	136	Z1
255	10"	K255	342	203	285	140	Z1



I valori possono variare senza preavviso - I valori di peso sono indicativi.


Values may change without prior notice - Weight values are approximate. / Les valeurs peuvent changer sans préavis - Les valeurs de poids sont indicatives.



Chiavi a Bussola Esagonali Lunghe

6-point Sockets Deep / *Douilles 6-pans Longues*


ISO 2725-2



mm	in	CODE	Ø1 mm	Ø2 mm	L mm	T mm	
75	2"15/16	K75L	119	127	190	40	K
80	3"1/8	K80L	125	127	190	42	K
85	3"3/8	K85L	131	127	195	45	K
90		K90L	137,5	127	205	48	K
95	3"3/4	K95L	144	127	210	51	K
100		K100L	150	127	215	54	K
105	4"1/8	K105L	156	127	220	58	K
110		K110L	162,5	127	225	61	K
115	4"1/2	K115L	169	127	230	64	K
120		K120L	175	140	235	68	K1
125		K125L	181	140	240	70	K1
130	5"1/8	K130L	188	140	245	72	K1
135		K135L	194	140	250	76	K1
140	5"1/2	K140L	200	140	255	78	K1
145		K145L	206	140	255	80	K1
150		K150L	213	140	260	84	K1

Adattatori

Adaptors / *Adaptateurs*



		CODE	Ø2 mm	L mm	kg		Aggancio Locking / Verrouillage
2"1/2	1"1/2	KH	127	165	7	K	Foro Hole / Trou


I valori possono variare senza preavviso - I valori di peso sono indicativi.

Values may change without prior notice - Weight values are approximate. / Les valeurs peuvent changer sans préavis - Les valeurs de poids sont indicatives.



Prolunghe

Extensions / Rallonges




		CODE	Ø1 mm	Ø2 mm	L mm	L in		Aggancio Locking / Verrouillage
2"1/2	2"1/2	KK12	75	127	305	12	K	Foro Hole / Trou
2"1/2	2"1/2	KK18	75	127	455	18	K	Foro Hole / Trou
2"1/2	2"1/2	KK24	75	127	610	24	K	Foro Hole / Trou

Snodo

Universal Joint / Cardan Universel



		CODE	Ø1 mm	Ø2 mm	L mm		Aggancio Locking / Verrouillage
2"1/2	2"1/2	KK	149	127	253	K	Foro Hole / Trou



I valori possono variare senza preavviso - I valori di peso sono indicativi.

Values may change without prior notice - Weight values are approximate. / Les valeurs peuvent changer sans préavis - Les valeurs de poids sont indicatives.




Trattenitori


Retainers / Systèmes de Retenue



	L mm	Ø mm
K	110	8
K1	125	8
Z	160	8
Z1	185	8



	Ø1 mm	Ø2 mm
K	8	114
K1	8	127
Z	8	163
Z1	8	190



		Ø2 mm
K	2" 1/2	127
K1	2" 1/2	140
Z	2" 1/2-3" 1/2	178
Z1	2" 1/2-3" 1/2	203

I valori possono variare senza preavviso - I valori di peso sono indicativi.

Values may change without prior notice - Weight values are approximate. / Les valeurs peuvent changer sans préavis - Les valeurs de poids sont indicatives.