

AIR HAMMERS



* Used as hammer and needle scaler. See page 108

Type	Brand	Shank size mm	Bore diameter mm	Stroke mm	Blows p/min	J/Blow	Air cons. l/s	Weight kg	Inlet thread	Hose diameter mm	Vibration m/s ²	Noise level dB(A)
TFC-200F	TOKU	□ 12,7	20	10	12.000	1,5	4,1	1,1	PT 1/4"	6,5	14,3	91
F-25 ¹⁾	YOKOTA	□ 12,7 x 16 x 28	25	22	4.000	5,1	6	1,8	PT 1/4"	6,5	12	91
RR-0315	RR	□ 12,7 x 16 x 28	25	32	4.000	7,4	3	2,6	PT 1/4"	6,5	9,4	93
TFC-257H	TOKU	□ 12,7	25	34	4.000	7,9	6,7	1,73	PT 1/4"	10	14	92
RRI-4021/4 ¹⁾	RRI	○ 11 x ○ 12,7 x 40	18	30	4.500	3,5	10	2,2	PT 1/4"	10	3,5	88
RRH-2000	RR	○ 11 x ○ 12,7 x 40	17,4	42	5.000	4,5	8,4	1,5	PT 1/4"	10	8	88
AA-0BR(H)	TOKU	○ 12,7 x ○ 15 x 53	20	50	3.600	7,5	5,8	2,6	PT 3/8"	6,5	12	89
BRH-6	YOKOTA	○ 10,2 x 40	20	60	3.500	9,0	6,6	1,4	PT 1/4"	10	17	95
RRH-4309K	RR	○ 11 x ○ 12,7 x 40	19	67	3.200	9,0	7,1	1,7	PT 1/4"	10	2,2	95
RRH-4312K	RR	○ 11 x ○ 12,7 x 40	19	89	2.100	12,0	7,1	1,8	PT 1/4"	10	2,6	95
AA-1.3BR(H)19x50 ²⁾	TOKU	○ 19 x 50	24	58	2.800	12,7	7,5	4,5	PT 3/8"	10	10	93

For chisels overview see pages 101-104 / 1) For suction casings see page 100 / 2) Also available with shank size ○ 17,5 mm

HAMMER SETS



RRH-4309KSET1 RRH-4312KSET1

- Hammer
- 5 chisels for metal
- Quick change retainer



RRH-4309KSET2 RRH-4312KSET2

- Hammer
- 4 chisels for concrete or stone
- Quick change retainer

*Chisels are also available separately see pages 101-104.

AIR HAMMERS



RRI-4596/1



RRI-4596R



RRI-4612K VL



RRI-4612R VL




TCD-20

Type	Brand	Shank size mm	Bore diameter mm	Stroke mm	Blows p/min	J/Blow	Air cons. l/s	Weight kg	Inlet-thread	Hose diameter mm	Vibration m/s ²	Noise level dB(A)
THA-2BRH19x50	TOKU	□ 19 x 50	28,5	51	2.300	15,7	14,2	6,8	PT 3/8"	13	11,6	93
THA-3BRH19x50	TOKU	□ 19 x 50	28,5	64	2.200	19,9	15	7,2	PT 3/8"	13	8	93
THA-4BRH19x50	TOKU	□ 19 x 50	28,5	102	1.800	31,8	15,8	7,8	PT 3/8"	13	11,6	93
RRI-4596/1	RRI	□ 22 x 82	34	114	1.590	51,6	15,0	10,7	PT 3/4"	13	16	101
RRI-4596R	RRI	□ 25 x 75	34	114	1.590	51,6	15,0	9,7	PT 3/4"	13	16	101
RRI-4612K VL	RRI	□ 22 x 82	35	170	1.290	81,2	16,6	14,3	PT 3/4"	16	3,8	105
RRI-4612R VL	RRI	□ 25 x 75	35	170	1.290	81,2	16,6	12,9	PT 3/4"	16	3,8	105
TCD-20	TOKU	□ 22 x 82	43	60	2.000	42,4	18	11,4	PT 1/2"	13	16	106

For overview chisels see pages 101-104.


SHANK SIZE




Type	A	B	C	D
TFC-200F	51	23	21	9,5




Type	A	B	C
F-25	16	12,7	28
RR-0315	16	12,7	28
TFC-257H	13	12,7	27




Type	A	B
BRH-6	40	10,2
RRI-4596R	75	25
RRI-4612R VL	75	25



Type	A	B	C
RRH-2000	40	12,7	11
RRH-4309K	40	12,7	11
RRH-4312K	40	12,7	11
RRI-4021/4	40	12,7	11



Type	A	B	C
AA-OB3R(H)	53	15	12,7



Type	A	B
RRI-4596/1	82	22
AA-1.3BR(H)19x50	50	19
AA-3BR(H) 19x50	50	19
RRI-4612K VL	82	22
TCD-20	82	22
THA-2BRH 19x50	50	19
THA-3BRH 19x50	50	19
THA-4BRH 19x50	50	19



VIBRATION REDUCED

Vibration reduction in the hammers, breakers and drills enables longer working hours. For further information please refer to page 96.

BREAKERS & ROCK DRILLS


Paving Breakers



Type	Brand	Shank size mm	Bore diameter mm	Stroke mm	Blows p/min	J/Blow	Air cons. l/s	Weight kg	Inlet-thread	Hose diameter mm	Vibration m/s ²	Noise level dB(A)
TPB-40	TOKU	○ 25 x 108	44	146	1.400	110	26	19	PT 3/4"	19	19,1	106
TPB-40SV ¹⁾	TOKU	○ 25 x 108	40	146	1.050	110	26	19,5	PT 3/4"	19	5,5	106
TPB-501SV ¹⁾	TOKU	○ 32 x 160	50	156	1.250	151	25	28,1	PT 3/4"	19	5,3	107
TPB-60	TOKU	○ 32 x 160	57	100	1.400	125	27	30	PT 3/4"	19	9,7	110

¹⁾ Vibration reduced / For chisels please refer to pages 101-104.


Rock Drills




Type	Brand	Shank size mm	Bore diameter mm	Stroke mm	Blows p/min	RPM	J/Blow	Air cons. l/sec	Weight kg	Inlet-thread	Hose diameter mm	Vibration m/s ²	Noise level dB(A)
TH-5S ¹⁾	TOKU	○ 19 x ○ 14,8 x 89	38	31	3.400	420	17	14	5,8	PT 3/8"	13	14	95
TJ-15SBS	TOKU	○ 22 x 82	54	45	2.450	250	44,7	26	17,4	PT 3/4"	19	30	99
TJ-15SV LBS ¹⁾	TOKU	○ 22 x 108	54	45	2.450	250	44,7	26	17,7	PT 3/4"	19	7	99
TJ-15SV SBS ¹⁾	TOKU	○ 22 x 82	54	45	2.450	250	44,7	26	17,4	PT 3/4"	19	7	99
TJ-20SV LBS ¹⁾	TOKU	○ 22 x 108	68	49	2.400	200	72	41	19	PT 3/4"	19	10,8	100
TJ-20SV SBS ¹⁾	TOKU	○ 22 x 82	68	49	2.400	200	72	41	19	PT 3/4"	19	10,8	100

¹⁾ Vibration reduced. For drills please refer to page 105.

SHANK SIZE



Type	A	B	C
TH-55	89	14,8	19




Type	A	B
TPB-40/40SV	108	25
TPB-50N/501SV	160	32
TPB-60	160	32
TJ-15LBS/SBS	108/82	22
TJ-20LBS/SBS	108/82	22

AIR HAMMERS BREAKERS & ROCK DRILLS

Dimensions & Accessories

DIMENSIONS

Type	A mm	B mm
AA-OBR(H)	245	95
AA-1.3BR(H)	300	76
BRH-6	200	149
F-25	310	43
RR-0315	320	43
RRH-2000	165	140
RRH-4309K	223	173
RRH-4312K	267	173
RRI-4021/4	255	100
RRI-4596/1	480	118
RRI-4596 R	480	118
RRI-4612k VL	645	120
RRI-4612R VL	645	120
TCD-20	520	100
TFC-200F	189	40
TFC-257H	330	43
TH-5S	425	250
THA-2BRH19x50	350	87
THA-3BRH19x50	422	87
THA-4BRH19x50	430	87
TJ-15	468	340
TJ-20	385	585
TPB-40	670	350
TPB-40SV	649	390
TPB-501SV	714	390
TPB-60	645	400



ACCESSORIES

For dust extraction of the models RRI-4021/4 and F25.
For other hammers ask for the most suitable solution.



DC6622



DC6078

SUCTION CASINGS FOR AIR HAMMERS

For hammer	Type	Tool connection Ø D (in/mm)	Hose connection (in/mm)	Height mm
F25	DC6622	43	38	158
RRI-4021/4	DC6078	61	38	178

QUICK CHANGE CHISEL RETAINER

Hammer	Order number	
BRH-6	PT-2311	
RRH-2000*	PT-2311	
RRH-4309	TJI-202A	
RRH-4312	TJI-202A	

CHISEL HOLDER


Hammer	Order number	
RRH-4309	TJI-202C	
RRH-4312	TJI-202C	

RETAINER SPRING

Hammer	Order number	
RRH-4309	TJI-207	
RRH-4312	TJI-207	

* Supplied as standard


CHISELS FOR AIR HAMMERS

**FOR HAMMERS**

- YOKOTA BRH-6
- RED ROOSTER RRH-4210

SHANK SIZE Ø 10,2 MM X 40MM


Order number	Description	L (mm) total	B (mm)
BE101002	Cutting chisel	122	20
BE101003	Sheet metal trimmer	135	16
BE101005	Muffler cutter	115	15
BE101006	Bushing splitter	132	12
BE101007	Spot-weld breaker bent	79	15
BE101008	Bushing driver	63	Ø 23
BE101010	Flat chisel	120	33
BE101011	Double edged cutter	110	22
BE101012	Shear bent	132	12
BE101016	Straight punch	120	Ø 12
BE101017	Spot-weld breaker	117	19
BE101018	Scraper	137	33
BE101019	Tail pipe cutter	119	29
BE101020	Concave scraping	130	34
BE101021	Wide cutting	129	44
BE101022	Diamond point	161	-
BE101024	Flat, bent	106	15
BE101025	River cutter	109	23
BE101027	Center punch chisel	106	Ø 9
BE101028	Pin punch	134	Ø 8

**FOR HAMMERS**

- RED ROOSTER RRH-2000
- RED ROOSTER RRH-4309K
- RED ROOSTER RRH-4312K
- RED ROOSTER RRI-4021/4

SHANK SIZE 11 MM HEX / Ø 12,7 MM X 40MM


Order number	Description	L (mm) total	B (mm)
CB51102190	Wide Cuttingchisbent	190	32
CB51103185	45mm Wide hisel, L=185mm	185	45
CB51103250	Flat Chisel	235	40
CB51104190	Wide flat bent chisel	190	33
CB51109165	Flat Chisel	165	18
CB51109180	Flat Chisel	180	18
CB51109250	Flat Chisel	250	18
CB51109350	Flat Chisel	350	20
CB51112180	Flat Chisel	180	33
CB51112250	Flat Chisel	250	33
CB51114180	Double Bladepanelcutter	178	22
CB51115180	Moil point chisel	180	-
CB51115250	Moil Point	250	-
CB51116180	Chisel	175	26
CB51117180	Spotweld Breaker	179	20
CB51123180	Claw Ripper/PannelCutter	176	16
CB51193180	Slotting Tool W.Carbide Tip L= 180	180	38
CB51193180-4	Slotting Tool W.Carbide Tip L= 180	180	38
CB51193180-6	Slotting Tool W.Carbide Tip L= 180	180	38

**FOR HAMMERS**

- RED ROOSTER RRH-4210K

SHANK SIZE 10,5MM HEX X Ø 12,5MM X 50MM

Order number	Description	L (mm) total	B (mm)
BE151002	Cutting chisel	122	20
BE151003	Sheet metal trimmer	135	16
BE151004	Panel cutter	131	15
BE151005	Muffler cutter	115	15
BE151007	Spot-weld breaker bent	79	15
BE151008	Bushing driver	63	Ø 23
BE151009	Tapered punch	132	Ø 3
BE151010	Flat chisel	120	33
BE151011	Double edged cutter	110	22
BE151012	Shear bent	132	12
BE151014	Double blade panel cutter	136	18
BE151015	Wide cutting, bent	130	33
BE151016	Straight punch	120	Ø 12
BE151017	Spot-weld breaker	117	19
BE151018	Scraper	137	33
BE151019	Tail pipe cutter	119	29
BE151020	Concave scraping	130	34
BE151021	Wide cutting	129	44
BE151022	Diamond point	161	-
BE151024	Flat, bent	106	15
BE151026	Round nose panel cutter	90	21
BE151027	Center punch chisel	106	Ø 9
BE151028	Pin punch	134	Ø 8
BE152001	Slotting tool with carbide tip	155	30


**FOR HAMMERS**

- Von Arx

SHANK SIZE 13,8MM 6-KT X 75MM

Order number	Description	L (mm) total	B (mm)
CB5100105/3	Moil point	180	-
CB5100102/3	Flat chisel	110	24
CB5100104/3	Flat chisel	180	24
CB5100103/3	Wide flat chisel	180	40
CB5100107/3S	Wide flat chisel	180	60
CB5100115/3	Wide flat chisel	180	100
CBMCOVAXS	Slotting tool with carbide tip	120	35


CHISELS FOR AIR HAMMERS

**FOR HAMMERS**

- TOKU AA-1.3BR(H) 19x50
- TOKU THA-Series

SHANK SIZE 19 MM 6-HEX X 50 MM


Order number	Description	L (mm) under the collar	B (mm)
MP5	Moil point	250	-
MP5-350	Moil point	350	-
MP5-450	Moil point	450	-
NC5	Flat chisel	250	25
NC5-350	Flat chisel	340	25
NC5-450	Flat chisel	440	25
CB5	Wide flat chisel	250	60
CB5-G	Wide flat bent chisel	250	60

**FOR HAMMERS**

- TOKU TCD-20
- RED ROOSTER RRI-4596/1
- RED ROOSTER RRI-4612K VL

SHANK SIZE 22 MM HEX X 82,5 MM


Order number	Description	L (mm) under the collar	B (mm)
MP4	Moil point	380	-
MP4-450	Moil point	450	-
MP4-1000	Moil point	1.000	-
MP4-1500	Moil point	1.400	-
MP4-2000	Moil point	1.900	-
NC4	Flat chisel	380	28
NC4-450	Flat chisel	450	28
NC4-1000	Flat chisel	1.000	27
NC4-1500	Flat chisel	1.500	28
NC4-2000	Flat chisel	2.000	27
NC4-2500	Flat chisel	2.500	27
CB4	Wide flat chisel	380	75
DC4	Asphalt chisel	400	75
AC4	Asphalt cutter	350	100

**FOR HAMMERS**

- TOKU TPB-50N
- TOKU TPB-501SV
- TOKU TPB-60

SHANK SIZE 32 MM HEX X 160 MM

Order number	Description	L (mm) under the collar	B (mm)
MP1A	Moil point	380	-
MP1	Moil point	450	-
MP1-900	Moil point	900	-
MP1-1500	Moil point	1.500	-
NC1A	Flat chisel	380	35
NC1	Flat chisel	450	35
CB1A	Wide flat chisel	380	75
DC1	Digging chisel	400	75
AC1	Heavyt asphalt cutter	270	115
CB5019	Asphalt cutter	280	125


**FOR HAMMERS**

- TOKU TPB-40
- TOKU TPB-40SV

SHANK SIZE 25 MM HEX X 108 MM

Order number	Description	L (mm) under the collar	B (mm)
MP3	Moil point	380	-
MP3-450	Moil point	450	-
MP3-1000	Moil point	1.000	-
MP3-1500	Moil point	1.500	-
MP3-2000	Moil point	2.000	-
NC3	Flat chisel	380	25
NC3-450	Flat chisel	450	25
CB3	Wide flat chisel	360	75
DC3	Digging chisel	400	75
AC3	Asphalt cutter	400	125
AC3-PF*	Asphalt cutter	400	125


* When the chisel lies flat the position of the tip of the hex faces upwards

**FOR HAMMERS**

- RED ROOSTER RRI-4596/R
- RED ROOSTER RRI-4612R VL

SHANK SIZE Ø 25 MM X 75 MM,
ROUND COLLAR 42 MM

Order number	Description	L (mm) under the collar	B (mm)
B350MP	Moil point	350	-
B450MP	Moil point	450	-
B600MP	Moil point	600	-
B1000MP	Moil point	1.000	-
B1500MP	Moil point	1.500	-
B2000MP	Moil point	2.000	-
B350NC	Flat chisel	350	24
B450NC	Flat chisel	450	24
B600NC	Flat chisel	600	24
B1000NC	Flat chisel	1.000	24
B1500NC	Flat chisel	1.500	24


**FOR HAMMERS**

- TOKU TPB-40
- TOKU TPB-40SV

SHANK SIZE 28 MM HEX X 160 MM

Order number	Description	L (mm) under the collar	B (mm)
MP2A	Moil point	380	-
MP2	Moil point	450	-
NC2A	Flat chisel	380	35
NC2	Flat chisel	450	35
CB2A	Wide flat chisel	380	75
DC2	Wide flat chisel	400	75
CB5819	Asphalt cutter	350	125


CHISELS FOR AIR HAMMERS

**FOR HAMMERS**

- TOKU AA-OB
- TOKU AA-OB(RH)

SHANK SIZE 12,7MM HEX / Ø 15MM X 53MM


Order number	Description	L (mm) total	B (mm)
BEAA-OB-01	Flat chisel	220	16
BEAA-OB-01 400MM	Flat chisel	400	16
BEAA-OB-02	Diamond point	220	-
BEAA-OB-02 400MM	Diamond point	400	-
BEAA-OB-03	Flat chisel	220	25
BEAA-OB-04	Flat chisel	220	49
BEAA-OB-04 540MM	Flat chisel	540	49
BEAA-OB-05	Flat chisel	220	97
BEAA-OB-06	Flat chisel bent	220	50

**FOR HAMMERS**

- TOKU AA-1.3B,
- AA-3B (old series)

SHANK SIZE 14,8MM HEX / Ø 17,3MM X 60MM


Order number	Description	L (mm) total	B (mm)
CB3210260	Moil point	280	-
CB3210450	Moil point	530	-
CB418	Round nose	210	-
CB420	Diamond point	160	-
CB3211260	Flat chisel	380	22
CB424	Flat chisel	190	50
CB426	Flat chisel	137	38
CB3218200	Wide flat chisel	190	50
CB3217210G	Wide flat chisel, bent	200	95
CB3211450	Flat chisel, bent	510	22

**FOR HAMMERS**

- TOKU THH-2BH
- TOKU THH-3BH
- TOKU THH-4BH

SHANK SIZE 14,7MM HEX / Ø 17,3MM X 60MM,
OVAL COLLAR


Order number	Description	L (mm) total	B (mm)
HS2-OC	Flat chisel	200	24
CB304	Flat chisel	158	24
CB304-12	Flat chisel	234	24
CB304-18	Flat chisel	386	24
CB324-24	Flat chisel	610	50
HS2-32-OC	Wide flat chisel	200	32
HS2-50-OC	Wide flat chisel	200	50
HS6-OC	Moil point	200	-

**FOR HAMMERS**

- RED ROOSTER RRH-4210K

SHANK SIZE 27MM X 80MM, COLLAR 34 MM SQUARE


Order number	Description	L (mm) total	B (mm)
CB1362010045	Moil point	400	-
CB1362011045	Flat chisel	400	27

**FOR HAMMERS**

- AC RRC-12

SHANK SIZE 13MM SQUARE, WITH RRC RECESS

Order number	Description	L (mm) total	B (mm)
CB3251	Flat chisel	180	19
CB3251-300	Flat chisel	300	19
CB3251-450	Flat chisel	450	19
CB3252	Wide flat chisel	155	34
CB3252-300	Wide flat chisel	240	34
CB3253	Wide flat chisel, bent	178	34

**FOR HAMMERS**

- AC RRC

SHANK SIZE 13MM SQUARE, WITH RRC RECESS

Order number	Description	L (mm) total	B (mm)
CB4221	Flat chisel	180	19
CB4222	Wide flat chisel	153	38
CBMCCORRC13.2	Slotting tool with carbide tip (d=8)	150	36
CBMCCORRC13.0-4	Slotting tool with carbide tip (d=4)	150	36
CBMCCORRC13.0-6	Slotting tool with carbide tip (d=6)	150	36
CBMCO422180-1	Slotting tool with carbide tip(d=8)	180	36
CBMCO422180-2	Slotting tool with carbide tip (d=4)	180	36
CBMCO422180-3	Slotting tool with carbide tip (d=6)	180	35

CHISELS FOR AIR HAMMERS

**FOR HAMMERS**


- YOKOTA F-25
- RED ROOSTER RR-0315

**FOR HAMMERS**

- TOKU TFC-257H

SHANK SIZE 12,7 MM SQUARE, WITH RECESS


Order number	Description	L (mm) total	B (mm)
BE15/1B	Flat, bent	112	20
BE15/1F	Flat chisel	115	20
BE15/1G	Wide flat chisel, bent	114	34
BE15/1W	Wide flat chisel	115	34
8160-1002-00-00	Flat, bent	115	25
CBMCOF25-150	Slotting tool with carbide tip	103	33
CBMCOF25-180	Slotting tool with carbide tip (d=8)	180	35
CBMCOF25-180-4	Slotting tool with carbide tip (d=4)	180	35
CBMCOF25-180-6	Slotting tool with carbide tip (d=6)	180	35

**FOR HAMMERS**

- TOKU TFC-200F

SHANK SIZE 12,7 MM SQUARE, WITH RECESS

Order number	Description	L (mm) total	B (mm)
CB40901180	Moil point	180	-
CB40902180	Flat chisel	180	19
CB40903180	Wide flat chisel, bent	180	35
CB40904180	Wide flat chisel, bent	180	35
CB40905180	Wide flat chisel	180	50
CB40906180	Wide flat chisel, bent	180	50

**FOR HAMMERS**


- RED ROOSTER RRI-4006VL
- RED ROOSTER RRI-4007VL

SHANK SIZE 12,7 MM SQUARE WITH RECESS

Order number	Description	L (mm) total	B (mm)
704.3101	Moil point	178	19
704.3103	Wide flat chisel	178	64
704.3107	Flat chisel	254	19
704.3110	Wide flat chisel spark free	178	50
704.3205	Flat bent chisel	178	35

SHANK SIZE 12,7 MM SQUARE, WITH RECESS

Order number	Description	L (mm) total	B (mm)
CB382	Flat chisel	178	19
CB382-12	Flat chisel	300	19
CB382-18	Flat chisel	455	19
CB383	Wide flat chisel	178	35
CB383-12	Wide flat chisel	300	35
CB383-18	Wide flat chisel	450	35
CB384	Wide flat chisel, bent	178	35
CB384/12	Wide flat chisel, bent	300	35
CB380	Wide flat chisel	178	50
CB380-3	Wide flat chisel	200	75
CBMCOIR180	Slotting tool with carbide tip	200	35
CBMCOIR180-4	Slotting tool with carbide tip (d=4)	200	35
CBMCOIR180-6	Slotting tool with carbide tip (d=6)	200	35


**FOR HAMMERS**

- IR9001 (e.g.)

SHANK SIZE JUMBO SQUARE


Order number	Description	L (mm) total	B (mm)	Ø
CB296	Moil point	250	-	
CB297	Moil point	300	-	
CB276	Flat chisel	250	24	
CB276-12	Flat chisel	300	24	
CB276-18	Flat chisel	450	24	
CB278	Punch	250	-	10
CB279	Punch	250	-	13
CB280	Punch	250	-	16
CB281	Punch	250	-	19
CB282	Punch	250	-	22
CB283	Punch	250	-	25
CB284	Punch	250	-	28

DRILLS FOR AIR HAMMERS




MONOBLOC-DRILLS SHANK 14.8 MM HEX X 89 MM
COMBI FOR HAMMERS - TOKU TH-5S

Order number	L (mm) total	Ø (mm)
CB9F25013	330	13
CB9F25014	330	14
CB9F25016	330	16
CB9F25019	330	19
CB9F25022	330	22
CB9F35014	430	14
CB9F35016	430	16
CB9F35019	430	19
CB9F35022	430	22




MONOBLOC-DRILLS SHANK 22 MM HEX X 108 MM
FOR HAMMERS - TOKU TJ-15LBS / TJ-20LBS

Order number	L (mm) total	Ø (mm)
CB2240016	400	16
CB2260016	600	16
CB2240019	400	19
CB2260019	600	19
CB22100019	1.000	19
CB2230022	300	22
CB2240022	400	22
CB2260022	600	22
CB22100022	1.000	22
CB2240025	400	25
CB2260025	600	25
CB22100025	1.000	25
CB2260028	600	28
CB2260030	600	30



DRILL BIT CROSSHEADS, KONUS II


Order number	L (mm) total	Ø (mm)
CB6126300030	-	30
CB6126300032	-	32
CB6126300034	-	34
CB6126300036	-	36
CB6126300038	-	38
CB6126300040	-	40
CB6126300045	-	45
CB6126300050	-	50
CB6126300055	-	55



DRILL BARS SHANK 22 MM HEX X 108 MM
KONUS II FOR HAMMERS - TOKU TJ-15LBS / TJ-20LBS

Order number	L (mm) total	Ø (mm)
CB2261510500	500	-
CB2261510800	800	-
CB2261511000	1.000	-
CB2261511400	1.400	-
CB2261512000	2.000	-
CB2261512400	2.400	-


CHISELS FOR ELECTRIC HAMMERS

**FOR HAMMERS**

- Makita 0810, 8035

SHANK SIZE Ø 12,9MM X 77 MM


Order number	Description	L (mm) total	B (mm)
CB2453	Flat chisel	280	20
CB2455	Wide flat chisel	280	40

**FOR HAMMERS**

- Duss PK35, PK40, PK45, PK75

SHANK SIZE 16MM HEX X 100MM


Order number	Description	L (mm) total	B (mm)
CB2291	Moil point	400	-
CB2293	flat chisel	400	24

**FOR HAMMERS**

- Kangoo 900/950

SHANK SIZE Ø 19 MM X 65 MM


Order number	Description	L (mm) total	B (mm)
CB2362	Moil point	380	-
CB2363	Moil point	450	-
CB2366	Flat chisel	380	24
CB2367	Flat chisel	450	24
CB100134	Floorscraper	270	150
CB100156	Blade for floorscraper M10	-	150
CB100156-M12	Blade for floorscraper M12	-	150
CBB61040K	Repair kit for floorscraper M10	-	-
CBB61040K-M12	Repair kit for floorscraper M12	-	-

**FOR HAMMERS**

- Wacker

SHANK SIZE 19 MM HEX X 82,5MM


Order number	Description	L (mm) total	B (mm)
CB2904	Flat chisel	330	24
CB2906	Flat chisel	500	24
CB2907	Wide flat chisel	330	65

**FOR HAMMERS**

- Bosch USH6, UBH6, 11206

SHANK SIZE Ø 16,3MM X 19MM


Order number	Description	L (mm) total	B (mm)
CB2061	Moil point	300	-
CB2066	Flat chisel	300	24
CB2072	Wide flat chisel	400	50

**FOR HAMMERS**

- Duss PK160, PK300

SHANK SIZE 22 MM HEX WITH RECESS

Order number	Description	L (mm) total	B (mm)
CB100526	Moil point	400	-
CB100533	Moil point	500	-
CB100534	Flat chisel	500	28
CB100535	Wide flat chisel	500	50


**FOR HAMMERS**

- Kangoo 900/950

SHANK SIZE Ø 19 MM X 65 MM


Order number	Description	L (mm) total	B (mm)
CB2381	Wide flat chisel	300	50
CB2381-L	Wide flat chisel	380	50
CB2382	Wide flat chisel	300	75
CB944484	Adaptor for floorscraper	450	-

CHISELS FOR ELECTRIC HAMMERS



FOR HAMMERS


- Makita
- Hitachi



SHANK SIZE Ø24 MM X 55 MM


Order number	Description	L (mm) total	B (mm)
CB3021	Moil point	400	-
CB3022A *	Flat chisel	400	32
CB3022B *	Flat chisel	400	32
CB3023A *	Wide flat chisel	400	75
CB3023B *	Wide flat chisel	400	75
CB3024A *	Asphalt cutter	400	125

* Type A: recess parallel on flat side of the spade, type B: crosswise




FOR HAMMERS

- Bosch USH27, 11304



SHANK SIZE 28MM HEX WITH RECESS

Order number	Description	L (mm) total	B (mm)
CB2001	Moil point	400	-
CB2003	Flat chisel	400	35
CB2005	Wide flat chisel	400	75




FOR HAMMERS

- Impex EH25

SHANK SIZE 11 MM

Order number	Description	L (mm) total	B (mm)
CBMCOEH25	Slotting tool with carbide tip	250	35



FOR HAMMERS

- Hilti TE805, TE905
- TE-1000-AVR & TE-2000-AVR

SHANK SIZE HILTI TE805 AND TE905

Order number	Description	L (mm) total	B (mm)
CB914972	Moil point	360	-
CB914974	Moil point	500	-
CB914982	Flat chisel	360	30
CB914992	Wide flat chisel	360	50
CB914995	Wide flat chisel	360	75

SDS PLUS

Order number	Description	L (mm) total	B (mm)
CB2101	Moil point	250	-
CB2102V	Flat chisel	250	20
CB2103	Wide flat chisel	250	40
CBMCO SDSPLUSKORT	Slotting tool with carbide tip	158	35
CBMCO SDSPLUSLANG	Slotting tool with carbide tip	250	35

SDS MAX

Order number	Description	L (mm) total	B (mm)
CB04001	Moil point	280	-
CB04002	Moil point	400	-
CB04003	Moil point	600	-
CB04004	Flat chisel	280	25
CB04005	Flat chisel	400	25
CB04006	Flat chisel	600	25
CB04007	Hollow gouge	300	26
CB04007-33	Hollow gouge	300	33
CB04009	Wide flat chisel	400	50
CB04010	Wide flat chisel	300	80
CB04013	Wide flat chisel	350	115
CB04011	Wide flat chisel, bent	300	50
CB04012	Wide flat chisel, bent	300	80
CBMCOMAX	Slotting tool with carbide tip	280	-
CB914978	Adaptor for floorscraper	450	-
CB100134	Floorscraper	270	150
CB100156	Blade for floorscraper	-	150
CB100156-M12	Blade for floorscraper M12	-	150
CBB61040K	Repair kit for floorscraper	-	-
CBB61040K-M12	Repair kit for floorscraper M12	-	-

NEEDLE SCALERS

Straight & Pistol Models



Type	Brand	Bore diameter mm	Stroke mm	Blows p/min	Air cons. l/s	Weight kg	Inlet-thread	Hose diameter mm	Vibration m/s²	Noise level dB(A)
YK-2 ¹⁾	YOKOTA	24	33	8.000	6	2,5	PT 3/8"	6,5	5,6	85
TFC-N200	TOKU	20	10	12.000	4,1	1,2	PT 1/4"	6,5	14,3	91
F-25N	YOKOTA	25	22	4.000	6	2,3	PT 1/4"	6,5	10	78
RR-0315NS	RR	25	32	4.000	6,6	2,6	PT 1/4"	6,5	9,4	93
RR-2110NS	RR	23,5	33	3.000	6,6	2,5	PT 1/4"	6,5	20	96
RRI-4006	RRI	23,5	34	3.000	2,6	2,6	PT 1/4"	6,5	17	90
RRI-4006VL ^{2) 3)}	RRI	23,5	34	2.400	1,9	2,7	PT 1/4"	6,5	2,7	90
RRI-4007	RRI	30,5	30,5	2.500	3,3	4,3	PT 1/4"	6,5	12	91
RRI-4007VL ^{2) 3)}	RRI	34,4	30,5	3.000	2,6	3,4	PT 1/4"	6,5	1,9	95

¹⁾ Scaler/scabler / ²⁾ Vibration reduced / ³⁾ Can also be used as air hammer, see below

NOTE
All needle scalers are supplied with 3mm needles

NEEDLE SCALER SETS

Chisel holder and anvil also separately available.



Order number	Description
419.2003	Chisel Holder 1/2" Square
610.2003	Anvil

Conversion kits for RRI-4006VL vibration reduced needle scaler.

Order number	Description
419.3003	Chisel Holder 1/2" Square
610.3003	Anvil

Conversion kits for RRI-4007VL vibration reduced needle scaler.
For overview of Chisel see pages 101-104.

NEEDLE SCALERS

Accessories & Dimensions

NEEDLEHOLDERS

Type	2 mm	3 mm	4 mm
TFC-N200	Y3-06-12-220	Y3-06-12-200*	-
F-25N	-	6203-0829-02-00*	-
RR-0315NS	-	SG-0315NS-25*	-
RR-2110NS	SG-2110NS-24	SG-2110NS-17*	-
RRI-4006	218	217*	-
RRI-4006VL	601.2020	601.2030*	-
RRI-4007	330	314*	353
RRI-4007VL	601.3020	601.3030*	601.3040

* Supplied as standard

NUMBER OF NEEDLES

Needle for type	Amount 2 mm	Amount 3 mm	Amount 4 mm
TFC-N200	21	12	-
F-25N	-	19	-
RR-0315NS	-	19	-
RR-2110NS	29	19	-
RRI-4006	51	19	-
RRI-4006VL	51	19	-
RRI-4007	65	28	19
RRI-5007VL	65	28	19

All needle scalers are supplied as standard with 3 mm needles, except RRI-4008 which is supplied with 4 mm needles.


NEEDLE

Ø	Version	Length	Order Number
2 mm	Blunt, hardened steel	178 mm	6203-0827-02-01
3 mm	Blunt, hardened steel	178 mm	6203-0827-03-01*
3 mm	Chisel point, hardened steel	178 mm	6203-0827-03-02
3 mm	Copper-beryllium	178 mm	6203-0827-03-03
4 mm	Blunt, hardened steel	178 mm	6203-0827-04-01
Ø	Version	Length	Order Number
3 mm	TFC-N200	125 mm	Y3-06-12-210

* Supplied as standard

DIMENSIONS

Type	A mm	B mm
YK-2	489	126
F-25N	412	43
RR-0315NS	415	45
RR-2110NS	340	175
RRI-4006	330	48
RRI-4006VL	340	48
RRI-4007	460	57
RRI-4007VL	330	48
TFC-N200	273	36



LONG REACH SCALERS

RRI 4000 series

This tool is intended to ergonomically clean a surface.
It functions just like a needle scaler / hammer.

CAN BE USED FOR APPLICATIONS SUCH AS

- Removal of floor coverings, adhesive layers, tiles and tarpaulin
- Remove rust or paint layers
- Removal of slag in, for example, a laser plasma cutting machine
- Facade cleaning




Li-Ion-battery
18 V/2.0 Ah
7051100



Chisel 4"
7051102



Chisel 2"
7051106



Chisel
Aluminum-Bronze
7051112



Chisel, bent
7052102



Scraper
200 mm
4313508



Scraper
300 mm
4313512



Scraper
100 mm
4313504



5-pack blades
200 mm
4393504



4-pack blades
200 mm
4393508



4-pack blades
300 mm
4393512



RRI-4007LR4-
Length: 122 cm
RRI-4007LR5
Length: 152 cm
RRI-4007LR6
Length: 183 cm

Type	Brand	Shank size mm	Bore diameter mm	Stroke mm	Blows p/min	J/Blow	Air-cons. l/s	Weight kg	Inlet thread	Hose diameter mm	Vibration m/s ²	Noise level dB(A)
RRI-4007LR4-LITE	RRI	15,88	28,6	39	2.200	15,55	2,1	3,7	PT 1/4"	10	13	85,8
RRI-4007LR5	RRI	15,88	28,6	39	2.200	15,55	2,1	6,25	PT 1/4"	10	11,4	82,4
RRI-4007LR6	RRI	15,88	28,6	39	2.200	15,55	2,1	6,9	PT 1/4"	10	7,7	84,3